


How to setup Cuesta Spam Filtering in Mail for OS X

Summary


Incoming mail suspected to be spam is now flagged automatically by advanced software with a special e-mail header "X-Cuesta-College-SpamScore". This document describes how to filter junk e-mail based on this header.

Instructions


- Open the **Mail** menu.
- Select **Preferences**.




- Click **Rules**.
- Click the **Add Rule** button.



- Enter “**SpamAssassin**” as the rule description.
- Click on first pull-down menu after the text “of the following conditions are met:”




- Select **Edit Header List...** from the pull-down menu.



- Type “**X-Cuesta-College-SpamScore**” into the text box.
- Click the **Add Header** button.
- Click the **OK** button.

No need to worry about which header is selected, we are adding a new header.



- Select **X-Cuesta-College-SpamScore** from the first pull-down menu after the text “of the following conditions are met:”
- Enter between 5 and 10 of the letter “s” in the text box.

The higher the probability that the message is Spam, the more s’s will be in the header area of incoming e-mail. Computer Services recommends 5 s’s.

- Select **Move Message** from the drop-down menu after the text “Perform the following actions:”.
- Select **Junk** from the drop-down after the text “to mailbox:”.
- Click the **OK** button.
(Your rule should look like the picture below)

Description: SpamAssassin

If **any** of the following conditions are met:

X-Cuesta-College-? Contains **sssssssss**

Perform the following actions:

Move Message to mailbox: **Junk**

Cancel **OK**

Make sure that the rule named “SpamAssassin” is checked.

- Close the preferences window.

